

INDEX MAPS.

T.11.N. R.7W. 2nd Mer.

	198	198-199	198-199	198-199	197-199	197-200
201	6 220 5 215 4 212 3 208 2 205 1 197					
	220	219	215	212	208	205
201	7 219 8 215 9 212 10 208 11 205 12 197					
	219	219	214	211	208	204
201	18 218 17 214 16 211 15 206 14 204 13 196					
	218	218	214	210	206	204
201	19 217 20 214 21 210 22 206 23 203 24 196					
	217	217	213	210	206	203
200	30 216 29 213 28 209 27 206 26 203 25 196					
	216	216	213	209	206	202
200	31 215 32 212 33 209 34 206 35 202 36 195					
	194	193-194	193-194	193-194	193-195	193-195

T.12.N. R.7W. 2nd Mer.

	226-227	226-227	226-227	226-227	225-228	225-228						
230	6	250	5	244	4	241	3	237	2	234	1	225
	249		249		244		240		237		233	
230	7	249	8	244	9	240	10	236	11	233	12	225
	248		248		243		240		236		233	
229	18	248	17	243	16	239	15	236	14	232	13	224
	247		247		242		239		236		232	
229	19	247	20	242	21	239	22	235	23	232	24	224
	246		246		242		238		235		231	
229	30	246	29	242	28	238	27	235	26	231	25	223
	245		245		241		238		235		231	
228	31	245	32	241	33	237	34	234	35	230	36	223
	222		221-222		221-222		221-223		221-223		221-223	

The figures on the lines refer to the page.

Township N. 11. South of Range N. 7 West of the 2nd Mer. Sec. 3

Ch. Lm.

South Boundary.

Met On a Random line South South Boundary of sec. 36.
T.M. N.R. 7 W
40.00 Set a timber post in a forest
80.00 " " " Post for the cor of sec. 35 & 36.
Lumber flat under oak Timber Maple Elm, Oak & Ash.

Met On a Random line South South Boundary of sec. 35.
T.M. N.R. 7 W
10.00 Log Brook 20 miles into corner S.
25.00 " " 10 " " " S
40.00 Set a post in a forest (timber)
55.00 Log Brook 20 miles into corner S.
80.00 Set a post for the cor of sec. 34 & 35.
Lumber, Lumber.

Met On a Random line South South Boundary of sec. 34.
T.M. N.R. 7 W
30.00 Log Brook 15 miles into corner S.
40.00 Set a timber post in a forest
80.00 Set a timber post for the cor of sec. 33 & 34.
Good Oak Land: Plains.

Met On a Random line South South Boundary of sec. 33.
T.M. N.R. 7 W
40.00 Set a post in a forest timber
43.00 Log Brook 20 miles into corner S.
80.00 Set a timber post for the cor of sec. 32 & 33.
Good Oak Land.

Met On a Random line South South Boundary of sec. 32.
T.M. N.R. 7 W
40.00 Set a post in a forest (timber) in East side of Plains
80.00 Set a timber post for the cor of sec. 31 & 32.

T^h 11. N.R. No 7 W 2nd Mer. East.

Web	On a random line Outer South Boundary of sec. 31. T. 11. N.R. 7 W.
40.00	Set the tripet in a post in plains
79.50	Fell 80 links South of Haines cor. for T. 10. N.R. 5 W. 8 W.
East	Correction and marked the line East. Outer Iron line Outer South Boundary of sec. 31. T. 11. N.R. 7 W.
39.50	Set the tripet post on the true line for the cor of sec. 31 from which a Hake 16 in. diam. beam. N 89 E 108 links each; No other timber near.
79.50	Set the tripet post on the true line for the cor of sec. 31 & 32 from which, Hake 15 in. diam. beam. West. 663 links each.
East	Outer true line Outer South Boundary of sec. 32 T. 11. N.R. 7 W.
40.00	Set the tripet in a post on the true line for the plains No timber
80.00	Set the tripet post on the true line for the cor of sec. 32 & 33 from which, W Oak. 36 in. diam. beam. N 15 E 43 links each made a L. 30 " " " 94 W 80 " "
East	Outer true line Outer South Boundary of sec. 33. T. 11. N.R. 7 W.
40.00	Set the tripet in a post on the true line from which Maple 30 in. diam. beam. S 2 E 13 links each; 1/2 E. 15 " " " N 61 W 30 "
80.00	Set the tripet post on the true line for the cor of sec. 33 & 34 W Oak. 18 in. diam. beam. N 39 E 42 links each; 1/2 Hake 5 " " " S 45 E 32 " "
East	Outer true line Outer South Boundary of sec. 34. T. 11. N.R. 7 W.
40.00	Set a pump post in a post on the true line from which Hake 12 in. diam. beam. S 5 W 22 links each.

T. N. N. N. N. N. 7 W. 2nd Mer. Sud?

Neptun. Timber

80.00 Set a post for the cor of sec. 34 & 35 from which in
Elev. 16 in. air: beam. S41 W. 29 links each; & a
ash. 8 " " " N 73 E 24 " "

East On the line On the South Boundary of sec. 35.
T. N. N. N. 7 W.

40.00 Set the timber post on the line from which
Maple. 16 in. air: beam. S24 E 16 links each; & a
No. 14 " " " N 31 W 25 " "

80.00 Set a post on the line for the cor of sec. 35 & 36. from
which, 4 Beech. 16 in. air: beam. South 2 the ash; &
" " Oak. 12 " " " N 27 W 42 " "

East On the line On the South Boundary of sec. 36.
T. N. N. N. 7 W.

40.00 Set the timber post on the line from which
Maple. 16 in. air: beam. N 69 E. 9 links each; & a
No. 16 " " " " N 86 W 15 " "

80.00 To the post cor of sec. 10 & 11. N 18. 65 W 7 W from which
a 4 Beech. 36 in. air: beam. S42 W 11 links each;
Log ash. 12 " " " N 52 E 37 " "

East Boundary

North On the East Boundary of sec. 36. T. N. N. N. 7 W

28.25 To a Hick. 12 in. air: beam in the line.

40.00 Set a post from which
Hick. 12 in. air: beam. N 84 W. 18 links each; & a
No. 15 " " " " S43 E 46 " "

61.40 To a W Oak. 24 in. air: in the line.

66.00 To a Birch. 4 links in air, beam. N 4 W.

80.00 Set a post for the cor of sec. 25 & 36. from which,
W Oak. 48 in. air: beam. S 88 E. 24 links each; & a
No. 16 " " " " S 77 W 52 " "

T. N. N. R. N. 7 N. 2nd & (M. S. S. S.)

Sugar. 10 in air: beam. 26 E. 22 links sub; 2nd
 77 Oak 30 " " " N 51 W 40 " "
 Sunde oak bottom; Timber Maple Oak & Elm.

North. On the East Boundary of lot. 12. T. N. N. R. 7 N.
 35.50 Iron 77 Oak 36 in air: with the line
 40.00 Set a 7th support from whike,
 77 Oak 6 in air: beam. 282 N. 10 links sub; 2nd
 77 Oak 12 " " " N 82 E 27 " "
 80.00 Set a post for the corner of lot. 12 from whike,
 Maple 16 in air: beam. 245 N. 12 links sub; 2nd
 77 Oak 7 " " " N 75 E 14 " "
 Level Oak beam.

North On the East Boundary of lot. 1. T. N. N. R. 7 N.
 40.00 Set a 7th support; (No timber near.)
 80.00 Set a temporary post for the corner of T. N. N. R. 6th 7 N.
 Sunde barrens. May 10th 1811.
 Surveyed by
 Alex. Auden. Robert A. S.

North Boundary.
 Met On the East Boundary of lot. 36.
 T. N. N. R. 7 N.
 40.00 Set a temporary 7th support On the East side of prairie
 80.00 Set a temporary post for the corner of lot. 35 & 36.
 Sunde Prairie.

Met On the East Boundary of lot. 35.
 T. N. N. R. 7 N.
 40.00 Set a temporary 7th support.
 55.00 Dig the Prairie
 80.00 Set a temporary post for the corner of lot. 34 & 35.
 Sunde 10th 7th mile Prairie. Last 7th mile & thence to end.

T. N. H. N. R. N. 7 W 2nd Mer. Sec. 2

with Oak & Hemlock

West	Quadrant line On the South Boundary of Sec. 34 T. 12 N. R. 7 W.
4.00	To a Brook. 5 links wide, corner S.
40.00	Set a $\frac{1}{4}$ sec. timber post.
80.00	Set a timber post for the cor. of Sec. 33 & 34. Sands same as last 2 of last sec.
West	Quadrant line On the South Boundary of Sec. 33 T. 12 N. R. 7 W.
16.00	To a Brook. 3 links wide, corner S.E.
40.00	Set a timber post $\frac{1}{4}$ sec. post.
80.00	" " " post for the cor. of Sec. 32 & 33. Sands here Timber Oak & Hemlock.
West	Quadrant line On the South Boundary of Sec. 32 T. 12 N. R. 7 W.
40.00	Set a timber post $\frac{1}{4}$ sec. post.
74.00	To a Brook. 5 links wide, corner N.
80.00	Set a timber post for the cor. of Sec. 31 & 32. Sands same.
West	Quadrant line On the South Boundary of Sec. 31 T. 12 N. R. 7 W.
40.00	Set a timber post $\frac{1}{4}$ sec. post.
83.00	Set 225 links South of Harris's corner for S. T. 12 N. R. 7 W.
East	Corrected and Marked the line East. On the line On the South Boundary of Sec. 31 T. 12 N. R. 7 W.
43.00	Set the timber post $\frac{1}{4}$ sec. post on the true line from which W Oak. 24 in diam. bears N 12 E 26 links and 1/2 in S Oak. 24 " " S 79 W 34 " "

T. N. H. N. N. 77 2nd Mer. Ind?

8000 Set the trip. post on the true line for the cor. of la. 31 & 32
from which, 77 Oak. 30 in diam. bears. N 56° W 50 links north;
under Hickory 16 " " " S 36° E 45 " "

Each On the true line On the South Boundary of la. 32.
T. N. H. N. 77

4000 Set the trip. post on the true line from which,
73 Oak. 36 in diam. bears. N 57° W. 81 links north; &
no other timber near.

8000 Set the trip. post on the true line for the cor. of la. 32 & 33.
from which, 73 Oak. 20 in diam. bears. N 9° E 41 links north
under a " Ho. 24 " " " N 78° W. 60 " "

Each On the true line On the South Boundary of la. 33.
T. N. H. N. 77.

4000 Set the trip. post on the true line from which,
73 Oak. 30 in diam. bears. N 85° W. 62 links north;
no other timber near.

8000 Set the trip. post on the true line for the cor. of la. 33 & 34.
from which, 77 Oak. 24 in diam. bears. N 41° E. 24 links north
under Hickory 16 " " " S 68° W. 26 " "

Each On the true line On the South Boundary of la. 34.
T. N. H. N. 77

4000 Set the trip. post on the true line from which,
Hickory 16 in diam. bears. N 33° E. 3 links north; &
Ho. 8 " " " S 77° W. 36 " "

8000 Set the trip. post on the true line for the cor. of la. 34 & 35
from which, 77 Oak. 15 in diam. bears. N 86° W. 22 links north;
under a " Ho. 18 " " " S 62° E 39 " "

Each On the true line On the South Boundary of la. 35.
T. N. H. N. 77.

4000 Set the trip. post on the true line.

T. 11. N. R. 10. 4. W. 2nd. Mer. Lat.

80.00	No timber near. Set the temporary post on the true line for the cor of lat. 35 & 36. in a prairie. No timber near.
East	On the true line On the East Boundary of sec. 36. T. 11. N. R. 10. 4. W.
40.00	Set the temporary post on the true line. No better timber near. 13 Oak. 10 in diam. bums N 82 E 45
80.00	Take cor of T. 11. & 12. N. R. 10. 4. W. Survey & do by Alexander Holmes Esq.
North	West Boundary. v. 84 & 85 N.
40.00	On the East Boundary of sec. 36. T. 11. N. R. 10. 4. W. Set a temporary post from which, W Oak. 24 in. diam. bums. N 60 E 24 bums cut; & a P. Oak. 14 " " " N 58 W. 98 " "
80.00	Set a temporary post for the cor of sec. 25 & 36. from which, W Oak. 15 in. diam. bums. N 30 W. 97 bums cut; & a W Oak. 30 " " " West. 93 " " Lands 3rd rate; the 1/4 mile almost destitute of timber the last 1/4 mile timber with Oak & Hickory.
North	On the East Boundary of sec. 25. T. 11. N. R. 10. 4. W.
40.00	Set a temporary post from which, P. Oak. 18 in. diam. bums. N 21 W. 21 bums cut; & a W Oak. 14 " " " N 59 E. 44 " "
80.00	Set a post for the cor of sec. 24 & 25. from which, Hickory 12 in. diam. bums. North 77 bums cut; & a W Oak. 14 " " " S 57 E. 51 " " Lands the 1/4 of the mile a little rolling and not doing good for wheat. The last 1/4 level and not. Timber Oak. & Hickory.

T. N. H. M. No 7 77. 2nd Ann. Ind.

North	On the East Boundary of Co. 24 T. 11 N. R. 8 W.
40.00	Set a 1/4 section from which, 13 Oak. 24 in. diam. trees. 116 E. 42 units each; & Heats 10 " " " 157 N. 66 " "
57.50	To a Brook 6 miles N. W. corner E.
80.00	Set a post for the cor. of Sec. 13 & 24 from which, W Oak 16 in. diam. trees. 142 E. 17 units each; & 47 Oak 14 " " " 163 N. 35 " " Land a little rolling; Timber Oak & Hickory. Midday good for wheat.
North	On the East Boundary of Co. 13. T. 11. N. R. 8 W.
35.00	Enter a prairie
40.00	Set a 1/4 section from which, 13 Oak. 16 in. diam. trees. 157 N. 77. 270 units each; & Heats 12 " " " 87 E. 44 " "
80.00	Set a post for the cor. of Sec. 12 & 13. from which, Heats 12 in. diam. trees. 138 10 units each; & Co. 12 " " " 81 N. 21 " " Land a 3 rd rate prairie.
North	On the East Boundary of Co. 12. T. 11. N. R. 8 W.
40.00	Set a 1/4 section in prairie No bearing trees.
80.00	Set a post for the cor. of Sec. 14 & 12 from which, W Oak. 14 in. diam. trees. 174 E. 306 units each; & 13 Oak. 12 " " " 146 N. 283 " " Land a 3 rd rate prairie.
North	On the East Boundary of Co. 1. T. 11 N. R. 8 W.
5.00	Crossed the prairie
20.50	To a Brook 8 miles N. W. corner W.
40.00	Set a 1/4 section from which, W Oak. 14 in. diam. trees. 12 N. 22 units each; &

T. N. 11. N. R. N. 7. W. 2nd Mm. Ind.?

80.31	To the post cor of Lw 25, 26. 35 & 36.
South	On a random line between Lw 25 & 26. T. 11. N. R. 7. W. 2 nd Mm.
40.00	Get a temp. 7 th to post.
65.00	To a camp.
80.50	Enter east the East & West line 100 miles west of the post cor of Lw. 25, 26. 35 & 36. Quadrant 2 nd rate.
North	Return Lw 25 & 26. T. 11. N. R. 7. W. 2 nd Mm.
40.25	Get the temp. 7 th to post at the cor. ditch on the line from which, W. Oak. 10 in. dist. from West 3 miles north and 7 th Oak. 18. " " " 27 E 26 " "
80.50	To the post cor of Lw. 23, 24. 25 & 26.
East	On a random line between Lw 24 & 25. T. 11. N. R. 7. W.
40.00	Get a temp. 7 th to post
60.00	To a creek. 80 miles west, lower T. W.
80.84	Enter east the East Boundary 50 miles south of the post cor of Lw. 24 & 25. Quadrant the same.
West	On the line Return Lw 24 & 25 T. 11. N. R. 7. W.
40.42	Get the temp. 7 th to post at the cor. ditch on the line from which, W. Oak. 10 in. dist. from S. 70 N. 10 the arch, and 7 th Oak. 4 " " " 150 E. 19 " "
80.84	To the post cor of Lw. 23, 24 25 & 26
North	Return Lw 23 & 24. T. 11. N. R. 7. W.
40.00	Get a temp. 7 th to post from which, W. Oak. 24 in. dist. from N 81 E. 45 miles north; 49 W. Oak. 24 " " " 142 N 49 " "
80.00	Get a post for the cor of Lw. 13, 14 23 & 24 from which, W. Oak. 15 in. dist. from S 59 E 37 the arch; 49

T. N. H. N. R. N. 7 N. Q. and M. and

40.00	Set the trip 7 th report at the an. ditch on the line from which, from 12 in. diam. trees, S 37 N. 17 th the ditch and a N 10 th 12 th " " " N 26 E 13 th "
80.13	To the post on of lat 11.12.13 & 14.
North	Return lat 11 & 12 T. 11. N. R. 7 N. V. 15° 15'
40.00	Set a 7 th report from which, N. Oak. 12 in. diam. trees. N 11 E 17 with ditch; 7 th N. 10 " " " S 3 E 45 " "
76.00	To a Prairie
80.00	Set a post for the cor. of lat. 1.2.11. & 12 from which, N. Oak. 12 in. diam. trees. S 80 E 117 with ditch; 7 th N. Oak. 12 " " " S 74 N. 244 " " Lando 2 nd rate.
East	On a line between lat 1 & 12 T. 11. N. R. 7 N.
40.00	Set a trip 7 th report.
79.41.	Enter lat the East Boundary 23 miles South of the post cor. of lat. 1 & 12. Lando same.
West	On the same line between lat. 1 & 12 T. 11. N. R. 7 N.
39.70	Set the trip 7 th report at the an. ditch on the line.
3	from which, N. Oak. 4 in. diam. trees. S 89 E 54 with ditch; and a S 8 th 8 " " " N 73 N. 77 " "
79.41.	To the post on of lat. 3 2, 11 & 12.
North	Return lat. 1 & 12 T. 11. N. R. 7 N. in Prairie.
40.00	Set a 7 th report from which, N. Oak. 8 in. diam. trees. N 84 N 63 with ditch; 7 th N 10 " " " N 65 E 148 " "
83.84.	Enter lat the N. Boundary 80 miles East of the post cor. of lat 35 & 36. T. 12. N. R. 7 N. and set a post for the cor. of " 1 & 12 in Prairie No bearings. Land 3 rd rate Prairie

T. N. 11. MR. N. 7 W. 2nd Mer. Ind.

South 40.00 80.80	<p>Original line between Sec. 34 & 35, T. 11. N. 18. 7 W. $\angle 6^{\circ} 30'$</p> <p>Set a temporary 7/8" sap post</p> <p>Intersect the Mt. E. 16 miles West of the post cor. of sec. 34 & 35. Same 2nd rate. Timber W. Oak 1/2.</p>
North 40.40 80.80	<p>Original line between Sec. 34 & 35 T. 11. N. 18. 7 W.</p> <p>Set the temporary 7/8" sap post at the cor. dist. on the true line from which, W. Oak. 24 in. diam. trees. N. 16 W. 34 miles with under W. Oak. 18 " " " 346 N. 44 " "</p> <p>To the post cor. of sec. 26, 27, 34 & 35.</p>
East 40.00 70.00 80.72	<p>Original line between Sec. 26 & 35 T. 11. N. 18. 7 W.</p> <p>Set a temporary 7/8" sap post</p> <p>To a mark.</p> <p>Intersect the Mt. E. line 86 miles South of the post cor. of Sec. 25, 26 & 35 & 36.</p> <p>Same 2nd rate.</p>
West 40.36 80.72	<p>Original line between Sec. 26 & 35 T. 11. N. 18. 7 W.</p> <p>Set the temporary 7/8" sap post at the cor. dist. on the true line. From which, W. Oak. 26 in. diam. trees. N. 27 W. 14 the creek; under W. Oak. 18 " " " 928 E. 31 " "</p> <p>To the post cor. of sec. 26, 27, 34 & 35.</p>
North 40.00 80.00	<p>Return Sec. 26 & 27 T. 11. N. 18. 7 W. $\angle 6^{\circ} 30'$</p> <p>N. 17 W. Oak. 18 in. diam. Stand for 7/8" cor.</p> <p>Set a post for the cor. of sec. 22, 23, 26 & 27 from which, W. Oak. 26 in. diam. trees. N. 49 E. 13 miles creek; & 140. 12 " " " 341 N. 32 " "</p> <p>Same 2nd rate; Timber Mt. E. Oak. 1/2.</p>
East 40.00	<p>Return Sec. 23 & 26 T. 11. N. 18. 7 W. $\angle 5^{\circ}$</p> <p>Set a 7/8" sap post from which, N. 67 W. 12 in. diam. trees. 376 N. 50 miles creek; &</p>

I. N. 11. N. 7. 2nd. Mer. Lat.

80.00	<p>W Oak. 10 in. diam. beams. N47 E. 73 knots each;</p> <p>Set a post for the cor of lat. 23, 24, 25 & 26 from which,</p> <p>W Oak. 10 in. diam. beams. N41 E. 47 knots each; & a</p> <p>Do. 12 " " " " 978 N. 58 " "</p> <p>Limbs 2nd rate; Limbs W & B. Oak & Hick.</p>
South	<p>On a line between Lat. 22 & 23. I. 11. N. 7. 2nd.</p> <p>Lat. 11. 1815. V. 6° 30'.</p>
40.00	<p>Set a temporary 1/4 post.</p>
80.40	<p>Intersect the East & West line 11 knots West of the post cor. of lat. 22, 23, 26 & 27.</p> <p>Limbs 2nd rate.</p>
South	<p>On the true line between Lat. 22 & 23. I. 11. N. 7. 2nd.</p>
40.20	<p>Set the temporary 1/4 post at the av. dist. on the true line from which,</p> <p>W Oak. 14 in. diam. beams. S12 E. 25 knots each;</p> <p>Do. Elm. 10 " " " " N21 W. 45 " "</p>
80.40	<p>Set the post cor. of lat. 14, 15, 22 & 23.</p>
West	<p>Return Lat. 14 & 23. I. 11. N. 7. 2nd.</p>
40.00	<p>Set a 1/4 post from which,</p> <p>Elm. 12 in. diam. beams. N37 E. 3 knots each; & a</p> <p>Do. 10 " " " " S22 E. 16 " "</p>
80.00	<p>Set a post for the cor of lat. 14, 15, 22 & 23 from which,</p> <p>Hick 15 in. diam. beams. N44 E. 28 knots each; & a</p> <p>Do. 12 " " " " S17 W. 8 " "</p> <p>Limbs Oak & Hick.</p>
South	<p>Return Lat. 14 & 15. I. 11. N. 7. 2nd.</p>
40.00	<p>Set a 1/4 post from which,</p> <p>W Oak. 8 in. diam. beams. S28 E. 11 knots each; & a</p> <p>Do. 12 " " " " N10 W. 33 " "</p>
80.00	<p>Set a post cor of lat. 10, 11, 14 & 15 from which,</p> <p>B. Oak. 26 in. diam. beams. S11 W. 73 knots each. & a</p>

T. N. H. N. R. N. T. M. 2nd (Mr. Ind.)

W Oak. 15 in. acir. N. 57 N. 57 links each;
 Guide 2nd rate Timber Oak & Hickory

East	Return Las 11 & 14. T. 11. N. R. T. M.
40.00	Set a trap for 7 th report from which, W Oak. 12 in. acir. beams N 77 N. 36 links each; & a Ho. 10 " " " N 22 N 3 " "
80.00	Set a post for the cor of Las. 11. 12. 13 & 14 from which, Quarr. Oak acir. beams N 75 N. 12 links each; & a Poplar. 10 " " " N 78 E. 10 " " Guide 2 nd rate.
South	On a Random line between Las 10 & 11. T. 11. N. R. T. M.
40.00	Set a trap for 7 th report. V. 6 & 15!
80.17	Set a post on the E & West line. 26 links West of the post cor of Las. 10. 11. 14 & 15.
South	On the true line between Las. 10 & 11. T. 11. N. R. T. M. V. 5.
40.08	Set the trap for 7 th report on the true line from which, W Oak. 15 in. acir. beams N 88 E. 16 links each; & a Ho. 12 " " " N 66. 77 68 " "
80.17	Set the post cor of Las. 2, 3, 10 & 11.
West	Return Las. 2, 11. T. 11. N. R. T. M.
4.00	Leaves the prairie
40.00	Set a 7 th report from which, W Oak. 12 in. acir. beams N. 60 E. 35 links each; & a Ho. 12 " " " N 43. 77. 84 " "
80.00	Set a post for the cor of Las. 2, 3, 10 & 11. from which, W Oak. 24 in. acir. beams N 82 N. 13 links each; & a Ho. 15 " " " N 66 E. 24 " " Guide 2 nd rate.
North	Return Las. 2 & 3. T. 11. N. R. T. M. V. 6.

40.00	Set a post from whiche W Oak. 6 in. diam. beam. \$257.43 units each; 70 W Oak. 8 " " " \$67.41 " "
83.94	Intersect the East & West line or N Boundary 136 links East of the post cor of lot 34 & 35. T. 12. N. R. 10. 4. 7. and set a post for the " " " 2 & 3. from whiche W Oak. 30 in. diam. beam. \$617.31 units each; 70 Black. 10 " " " \$56 & 7. " " Lands sold under 2nd rate for farming. Timber Oak & Hick
North	Return Lot 33 & 34 T. 11. N. R. 10. 4. 7.
40.00	Set a post from whiche W Oak. 18 in. diam. beam. \$547.48 units each; 70 Hick. 14 " " " \$50 & 49 " "
80.00	Set a post for the cor of lot 27, 28, 33 & 34 from whiche W Oak. 18 in. diam. beam. \$477.79 units each; 70 Hick. 24 " " " \$247.110 " " Lands sold under 3rd rate Timber Oak & Hick.
East	Return Lot 27 & 34 T. 11. N. R. 10. 4. 7. Dec. 9. 1815.
40.00	Set a post from whiche Hick. 12 in. diam. beam. \$857.56 units each; 70 W Oak. 30 " " " \$72 & 42 " "
80.00	Set a post for the cor of lot 26, 27, 34 & 35. from whiche W Oak. 12 in. diam. beam. \$897.31 units each; 70 Hick. 18 " " " \$39 & 42 " " Lands 2nd rate.
South	Along Runum line between Lot 27 & 28. T. 11. N. R. 10. 4. 7.
40.00	Set a stump for a post
80.16	Intersect the E & W line 38 links West of the post cor of 27, 28, 33 & 34. Lands same N. of Prairie

T. N. H. N. R. N. 77. Quad. Min. End.

East	On a Random ^{True} line between Sec. 15 & 22 T. 11. N. R. 77.
40.25	Set the trip. 7/8 support at the ar. ditch on the true line from which, 43 Oak. 4 in. diam. bears. N 27 E 7 links, with angle as Hewitt 4 " " " 24 N 9 " "
80.50	To the post on of Sec. 14. 15, 22 & 23.
South	On a Random line between Sec. 15 & 16. T. 11. N. R. 77.
5.00	Set a trip. 10 links in. 1/2, corner S. E.
40.00	Set a trip. 1/4 support.
80.50	Intersect the East & West line 30 links East of the post cor. Sec. 15. 16. 21. & 22. Sand. mark. From Oak & Hewitt. Good for farming
North	On the true line between Sec. 15 & 16. T. 9. N. R. 77.
40.28	Set the trip. 7/8 support at the ar. ditch on the true line from which, Sugar 18 in. diam. bears. S 58 N 31 the ditch angle as. Elm. 12 " " " N 58 E 24 " "
80.50	To the post cor of Sec. 9. 10. 15 & 16.
West	On a Random line between Sec. 10 & 15 T. 11. N. R. 77.
40.00	Set a trip. 7/8 support.
80.59	Intersect the N & S line 23 links South of the post cor of 9. 10. 15 & 16. Good for farming land.
East	On a true line between Sec. 10 & 15. T. 11. N. R. 77.
40.29	Set the trip. 7/8 support at the ar. ditch on the true line from which, 47 Oak. 24 in. diam. bears. N 15 E 43 the ditch angle as. Hewitt 14 " " " N 3 E 80 " "
80.59	To the post cor of Sec. 10. 11. 14 & 15.
South	On a Random line between Sec. 9 & 10. T. 11. N. R. 77.
40.00	Set a trip. 7/8 support
79.84	Intersect the East & West line 4 links West of the post

T. H. N. K. No. 77. 2nd Mo. Ind.

Goodfanning land. Timber Oak & Sugar Maple & Hickory

North Return Sat 9th 10. T. H. N. K. T. N. (On the line)
 39.92 Let the timber 1/4 section at the ar. arch on the line
 from which, 4th Oak. 24 in diam. trees. 142 E. 37th the arch
 and a 4th Oak. 24 " " " 144th 33 " "
 79.84 To the post cor of Sat. 34.9, 10

North Oak land on line between Sat. 3rd 10. T. H. N. K. T. N.
 40.00 Let a timber 1/4 section N. 5th
 79.81 Let the A. B. line 56. links North of the post cor.
 of Sat. 34.9 10.
 Land 2nd rate for farming

East Oak land on line between Sat. 3rd 10. T. H. N. K. T. N.
 40.40 Let the timber 1/4 section at the ar. arch on the line.
 from which, 7th Oak. 12 in diam. trees. 130th 27th the arch
 and a 7th Oak. 20 " " " 167th E. 46 " "
 79.81 To the post cor of Sat. 2, 310 11.

North Return Sat. 3rd 4. T. H. N. K. T. N.
 15.00 Open prairie
 40.00 Let the 1/4 section in prairie No. 11. 11. 11.
 50.00 Paved. Prairie
 84.77 Let the A. B. boundary 133 links East of the post cor.
 of Sat. 33rd 34 T. H. N. K. T. N.
 Land 3rd rate Timber Oak & Hickory.

North Return Sat. 32nd 33. T. H. N. K. T. N. (On a true line)
 39.66 Let the timber 1/4 section at ar. arch on the line
 from which, 7th Oak. 27 in diam. trees. 130 E. 72th the arch
 and a Hickory 12 " " " 138 E. 79 " "
 79.33 To the post cor of Sat. 28 29. 32 33.

J. N. H. M. M. J. N. 2nd M. S. L. S.

South 46.00 79.33.	<p>Cap. Anderson line between Jan. 32 & 33. J. N. H. M. J. N.</p> <p>Get a 7/8 report from white,</p> <p>Get a lat. the E & N line. 4 lines West of the post of Jan. 32 & 33.</p> <p>Same line. South Oak & Hick.</p>
West 40.00 80.00	<p>Return Jan. 28 & 33. J. N. H. M. J. N.</p> <p>Get a 7/8 report from white,</p> <p>W Oak. 10 in. diam. trees. N 39 E 31 limbs each; 73</p> <p>Lg. 24 " " " N 57 E 25 "</p> <p>Get a report for the cor. of Jan. 28, 29, 32 & 33 from white,</p> <p>W Oak. 15 in. diam. trees. N 52 E 27 limbs each; 73</p> <p>Lg. 20 " " " N 43 E 43 " "</p> <p>Same as former and last one.</p>
North 40.00 80.00	<p>Between Jan. 28 & 29. J. N. H. M. J. N. N. 67 W.</p> <p>Get a 7/8 report from white,</p> <p>W Oak. 14 in. diam. trees. N 75 E 17 limbs each; 73</p> <p>Lg. 12 " " " N 77 E 14 "</p> <p>Get a report for the cor. of Jan. 20, 21, 28 & 29 from white,</p> <p>J. Oak. 14 in. diam. trees. N 22 E 29 limbs each; 73</p> <p>Hick. 12 " " " N 47 E 54 " "</p> <p>Same as former.</p>
East 10.00 40.00 80.00	<p>Return Jan. 21 & 28. J. N. H. M. J. N.</p> <p>Top Brook. 8 limbs each, corner S.</p> <p>Get a 7/8 report from white,</p> <p>Hick. 12 in. diam. trees. N 55 W 4 limbs each; 73</p> <p>Lg. 12 " " " N 86 E 29 " "</p> <p>Get a report for the cor. of Jan. 21, 22, 27 & 28. from white,</p> <p>J. Oak. 5 in. diam. trees. N 36 E 20 limbs each; 73</p> <p>Lg. 7 " " " N 30 W 200 " "</p> <p>Same as former.</p>

T. N. 11. N. R. N. 7 W. 2nd Mer. Ind.

South	On a line between Sec. 20 & 21. T. 11. N. R. 7 W.
40.00	Set a trap for 1/2 a post
80.79	Intersect the East & West line: 43 links East of the post cor. of sec. 20 21. 28 & 29.
North	On a line between Sec. 20 & 21. T. 11. N. R. 7 W.
40.39	Set the trap for 1/2 a post at the cor. dish with the line from which, B. Oak. 24 in. diam. trees. S. 14 E. 22 1/2 the dish
80.79	To the post cor. of sec. 16. 17. 20 & 21.
West	On a line between Sec. 16 & 21. T. 11. N. R. 7 W.
20.00	Enter prairie
40.00	Set a trap for 1/2 a post
80.00	Intersect the N. 55 line 21 links South of the post cor. of sec. 16. 17. 20 & 21. Leave 3 rd rate prairie
East	On a line between Sec. 16 & 21. T. 11. N. R. 7 W.
40.00	Set the trap for 1/2 a post at the cor. dish with the line in prairie: No bearing
80.00	To the post cor. of sec. 15. 16. 21 & 22.
North	Between Sec. 16 & 17. T. 11. N. R. 7 W.
40.00	Set a 1/4 a post in the prairie
80.00	Set a post for the cor. of sec. 8. 9. 16 & 17. No bearing Leave 3 rd rate prairie.
East	On a line between Sec. 9 & 16. T. 11. N. R. 7 W.
40.00	Set a 1/4 a post from which, B. Oak. 9 in. diam. trees. N 57 E. 25 links cor. by Do. 9 " " S 21 W. 81 " "
42.00	Passed prairie.
66.00	To a Brook. 10 links wide, corner S.
80.00	Set a post for the cor. of sec. 9. 10. 15 & 16. from which,

T. N. H. A. R. N. 7th 2nd Mr. Sud:

215

Luga. 20 in. deer beams. N46 W. 37 links each; to
 No. 18 " " " N48 E. 41 " "
 Land similar. Work for mending good for farming

South. Length between Sur 8+9. T. H. N. R. 7 W.
 40.00 Set a 1/2 report in prairie.
 No bearing.
 Land 3rd rate prairie. Sur 7 W. 6.

East. Return Sur 4+9. T. H. N. R. 7 W.
 25.00 Filled prairie.
 28.00 Top Brook. 6 links mid. corner E.
 40.00 Set a 1/2 report from which,
 W Oak. 24 in. deer beams. N76 W. 133 links each; to
 Neys 10 " " " N63 E. 85 " "
 80.00 Set a post for the cor of Sw. 3. H. 9 + 10 from which,
 W Oak. 12 in. deer beams. N89 E. 117 links each; to
 Neys 12 " " " N40 E. 67 " "
 Land here and 3rd rate; Timber Oak & Hick.

North. Return Sur 4+5. T. H. N. R. 7 W.
 32.50 Cuts prairie.
 40.00 Set a 1/2 report from which,
 W Oak. 24 in. deer beams. N70 W. 232 links each; +
 45.00 Filled prairie.
 53.77 Set a post for the N. R. boundary 124 links East of the post cor.
 of Sw. 32+33. T. H. N. R. 7 W. and set a post for the S.
 " " 4+5 from which,
 W Oak. 18 in. deer beams. S10 E. - each each; to
 No. 18 " " " N67 W. 23 " "
 Land here and 3rd rate; Timber Oak & Hick.

South. Oak Run dam line between Sur 31+32. T. H. N. R. 7 W.
 40.00 Set a temp. 1/2 in. post.

T. No 11. N. R. No 7 W. Quad. Mrs. L. S. 2.

7970	Enter at the South Boundary of sec. 31 & 32 10 links West of the post Most of this mile 3rd rate prairie
North 39.85	On the line between Sec. 31 & 32 T. 11. N. R. 7 W. Set the trumpet post at the corner with the line in Prairie No bearing line
7970	To the post on off sec. 29. 30 31 & 32
West 40.00	Return Sec. 29 & 32 T. 11. N. R. 7 W. v. 5° Set a post from which Heiky 14 in. dia. bars N 86 E 82 links curb; & 2 W. Oak 20 " " S 51 W. 93 " "
61.50	On the prairie
75.00	Pass the prairie
80.00	Set a post for the corner of sec. 29. 30. 31 & 32 from which W. Oak 30 in. dia. bars N 18 E 116 links curb; & 2 Hq. 20 " " S 9 E 92 " " Lands 3rd; Timber Oak & Hickory.
West 40.00	Return Sec. 30 & 31 T. 11. N. R. 7 W. Set a post from which Heiky 10 in. dia. bars N 87 W. 24 links curb; & 2 Hq. 12 " " N 56 E 67 " "
80.07	Enter at the West Boundary 80 links South of the post on off sec. 25 & 36 T. 11. N. R. 7 W. and set a post for the " " 30 & 31 from which Heiky 12 in. dia. bars S 21 W. 61 links curb; & 2 W. Oak 30 " " N 57 W. 120 " " Lands East to Prairie. 3rd rate; West to Oak and Hickory Land and 3rd rate.
North 40.00	Return Sec. 29 & 30 T. 11. N. R. 7 W. Set a post from which

T. N^o 11. N.R. N^o 77. 2nd Div. Secⁿ.

80.00	<p>Heiky 12 m. air: from 44 E. 68 links sub: 8th Do. 12 " " " " 84 E. 9 " " Set apart for the cor. of sec 19 20 29. 730 from which Heiky 12 m. air: from 22 E. 70 links sub: 8th W. Oak. 18 " " " " 36 E. 28 " " Land sub 3rd rate; Timber Oak & Heiky</p>
<p>Oak 40.00 80.11</p>	<p>On a random line between Sec 20 & 29. T. 11. N.R. 77 Off a timber post Interv. the N^o 5 line 90 links N or S of the post cor. of sec. 20. 21. 28 & 29. Land 3rd rate; Timber Oak & Heiky.</p>
<p>West 40.05 80.11</p>	<p>On the line between Sec 20 & 29. T. 11. N.R. 77 Set the timber post at the air. dish on the line from which a Heiky 6 m. air: from 35 W. 11 links sub: 8th " Do. 4 " " " " 50 E. 14 " " To the post cor. of sec 19. 20. 29 & 30</p>
<p>West 40.00 80.60</p>	<p>Between Sec 19 & 30. T. 11. N.R. 77 Set the 7th post at the line from which W. Oak. 14 m. air: from 35 W. — links sub: Interv. at the West boundary 50 links South of the post cor. of sec. 24 & 25. T. 11. N.R. 77 and set apart for the " " " 19 & 30 from which E. Oak. 9 m. air: from 27 E. 17 links sub: 8th W. Oak. 9 " " " " 75 W. 35 " " Land sub, 3rd rate; Timber Oak & Heiky</p>
<p>North 26.50 40.00</p>	<p>Between Sec 19 & 20 T. 11. N.R. 77 Sec. 10 1815. To a post 8 links wide, corner SW Set a protection post from which W. Oak. 26 m. air: from 15 E. 23 links sub: 8th Do. 14 " " " " 49 E. 25 " "</p>

T. N. H. R. N. York 2nd Mar. Ind.

65.00	Enter prairie
80.00	Set apart for the cor. of sec 17, 18, 19 & 20 from which, W Oak 10 in. dia. trees. St 4 E 434 links north; Sands 3rd rate; Timber Oak & Hickory.
East	Return Sec 17, 20. T. 11. N. R. 7 N.
40.00	Set apart for the cor. from which, W Oak 15 in. dia. trees. St 7 N 38 links north; & No. 20 " " " St 80 E 60 " "
70.00	Enter prairie
80.00	Set apart for the cor. of sec 16, 17, 20 & 21. from which, W Oak 12 in. dia. trees. St 78 E 75 links north; & Hickory 20 " " " St 87 N 121 " " Sands from west side
West	Return Sec 18 & 19 T. 11. N. R. 7 N.
15.00	Enter prairie
40.00	Set apart for the cor. from which, W Oak 14 in. dia. trees. St 7 N. 20 links north; & No. 24 " " " St 63 E 5 " "
81.48	Intersect the N 75 line 45 links North of the cor. of sec 13 & 24 T. 11. N. R. 8 N made set apart for the " " " 18.519 from which, Hickory 15 in. dia. trees. St 65 E 29 the north; & W Oak 20 " " " St 80 E 32 the north; Sands the same.
North	Return Sec 17 & 18 T. 11. N. R. 7 N.
40.00	Set apart for the cor. from which, Hickory 9 in. dia. trees. St 45 E 28 links north; & No. 9 " " " St 64 E 32 " "
80.00	Set apart for the cor. of sec 7, 8, 17 & 18 from which, W Oak 14 in. dia. trees. St 17 E 6 links north; & No. 124 " " " St 62 E 328 " " Sands 3rd rate; Timber Oak & Hickory.

T. N. 11. N. R. 7. W. 2nd Mm. Sec. 2

East	On the line between Sec. 8 & 17 T. 11. N. R. 7. W.
40.00	Set a trap for 1 st sa. post
45.00	To a Brook. 6 links on the, from the
55.00	Enter Prairie
79.19	Intersect the N. 7. S. line 5 links South of the first cor. of Sec. 8. 9. 16. & 17. Make same as last mile.
West	On the line between Sec. 8 & 17 T. 11. N. R. 7. W.
39.59	Set the trap for 1 st post at the end of the line from which N. Oak. 18 in. diam. Sec. 8 & 17 38 links each; & a See Sec. 18 " " " " 42 E. 27 " "
79.19	To the first cor. of Sec. 7. 8. 17 & 18.
West	Between Sec. 7 & 18. T. 11. N. R. 7. W. v. 5.00
20.00	Enter Prairie
40.00	Set a 1 st sa. post from which N. Oak. 18 in. diam. Sec. 42 E. 47 links each; & a Links 14 " " " " N. 67 W. 79 " "
46.00	Enter Prairie
82.13	Intersect the West Boundary at the cor. of Sec. 12 & 13. T. 11. N. R. 8. W. Make the same.
North	Between Sec. 7 & 8. T. 11. N. R. 7. W.
40.00	Set a 1 st sa. post from which N. Oak. 9 in. diam. Sec. 40 E. 88 links each;
86.00	Set a post for the cor. of Sec. 5. 6. 7 & 8 from which N. Oak. 9 in. diam. Sec. 78 E. 167 links each; & a Links 18 " " " " N. 88 W. 180 " "
	Make the same as last mile.
East	Between Sec. 5 & 8. T. 11. N. R. 7. W.
40.00	Set a 1 st sa. post from which

220

T. N. N. N. N. 7th 2nd Mer. Ind.

Height 12 in. air. beam. 245 E 18 miles north; 7 a,
 13 Oak. 18 " " " 26 N. 48 " " " "
 57.00 Exp. prairie
 80.00 Set apart for the cor. of lat. 4.5, 8 & 9 in. Prairie
 No bearing from. Same the same.

West Return lat. 6 & 7. T. N. N. 7th.
 40.00 Set apart for the cor. of lat. 4.5, 8 & 9 in. Prairie
 11 Oak. 24 in. air. beam. 226 E 52 miles north; 7 a,
 13 Oak. 8 " " " 32 N. 10 " " "
 82.98 Enter at the West Boundary 6 miles North of the first cor. of
 lat. 1 & 2. T. N. N. 7th. and set apart for the cor.
 of lat. 6 & 7 from which
 11 Oak. 24 in. air. beam. 271 E 25 8 miles north; 7 a,
 Same 3rd rate prairie

North Return lat. 5 & 6. T. N. N. 7th.
 40.00 Set apart for the cor. of lat. 4.5, 8 & 9 in. Prairie
 Height 12 in. air. beam. 227 E 24 0 miles north;
 81.57 Enter at the West Boundary 133 miles East of the first
 cor. of lat. 31 & 32. T. N. N. 7th. and set apart for the
 " " " 576 from which
 Height 8 in. air. beam. 213 E 36 miles north; 7 a,
 16. 8 " " " 16 N. 25 " " "
 Same 3rd rate prairie 3rd rate.

Surveyed by
 William Harris 1st.

I certify that the foregoing Transcript of the Field notes of
 Surveyor N. H. Smith of Range No. 7 West 2nd Mer. Ind.
 has been compared with the Original notes in this Office
 and found to be correct.
 Surveyor General's Office
 Cincinnati Aug. 18 1841

E. P. Haines
 Surveyor General

28,
 375